

DEPARTMENT OF HEALTH SERVICES
TOXIC SUBSTANCES CONTROL DIVISION
1 BERKELEY WAY, ANNEX 7
BERKELEY, CA 94704

N00236.000497
ALAMEDA POINT
SSIC NO. 5090.3



June 18, 1990

Captain L.I. Williams, Jr.
Commanding Officer
Naval Air Station
Alameda, CA 94501-5000

Dear Captain Williams:

REDUCTION IN QUALITY ASSURANCE/QUALITY CONTROL (QA/QC) SAMPLES -
NAS ALAMEDA

The Department of Health Services (DHS) has reviewed the requested changes for QA/QC sampling at NAS Alameda. The proposed QA/QC sampling (5%) for replicates, sample blanks, and blind samples meets the standard DHS Hazardous Materials Laboratory protocol.

The DHS believes a reduction in some geophysical analyses may be possible without impacting the data quality objectives. A reduction in geophysical testing may be appropriate where sites are adjoining or in close proximity to each other.

As discussed earlier with NAS Alameda and WESTDIV representatives, the DHS would like to meet on June 27, 1990 at 1:00 p.m. in our office to further discuss this issue.

If you have any questions regarding this issue, please contact me at (415) 540-3816.

Sincerely,

A handwritten signature in black ink, reading "Mark Malinowski". The signature is written in a cursive, flowing style.

Mark Malinowski
Engineering Geologist
Region 2
Toxic Substances Control Program

cc: See Next Page

Captain L.I. Williams, Jr.
June 18, 1990
Page 2

Mr. Randy Cate
Project Officer
Naval Air Station (Code 52)
Alameda, CA 94501-5000

Ms. Bella Dizon
Western Division
Facilities Engineering
900 Commodor Drive
San Bruno, CA 94066